EZCURRA
Security
Innovation
Quality
High Security Locks,
Antibreakage System

Index

Multipoint security locks
- 2000B — page 3
- 2000 — page 3
- 2010 — page 4
- 2075 — page 4
- 2000B-Z — page 5
- 2004B-Z — page 5
- 2004B — page 6
- 2014 — page 6

One-point security locks
- 700B — page 7
- 701B — page 7
- 703B — page 7
- 700A — page 8
- 720 — page 8

Fire resistant multipoint security locks
- RF-2000B — page 9
- RF-2010 — page 9
- RF-2075 — page 9

Fire resistant one-point security locks
- RF-700B — page 10
- RF-700A — page 10

Cylinders
- DS-15 — page 11
- DS-10 — page 12
- SER-3 — page 13
- SER-23 — page 13

Escutcheons
- 410-P — page 14
- 420-P — page 14
- 424-P — page 14
- 425-P — page 14
- 430-P — page 14

Accessories — page 15

New

Every high security lock in this catalogue features an ANTIBREAKAGE SYSTEM, which effectively protects the central steel bolts from being forced backwards.

This system is PATENTED and CERTIFIED by an official aproved centre.

EZCURRA

2000B





- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate profile:* 25 x 6 mm.
- *Cylinders:* DS-15 DS-10 SEA
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Brass / Chromed brass	2.03
«U» Brass / «U» Chromed brass	2.03
Gold finish Alum. / Silver finish Alum.	2.03 2.11
Golden Enamel / Black	2.03 2.11
Chrome / Matt chrome	2.03 2.11
Stainless steel / Bronze	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces
  Long pieces: 30 / 40 / 45 mm
- ANTIPANIC version available

Note: **2000B/3** *lock has no upwards / downwards locking points.*

2000





- ANTIBREAKAGE system
- Rectangular steel bolts
- Reversible latch
- 2 turns
- *Front plate profile:* 25 x 6 mm.
- *Cylinders:* DS-15 DS-10 SEA
- *Backset:* 50 mm.
- *Front plate finishes:*

	Height: (m.)
Brass / Chromed brass	2.03
«U» Brass / «U» Chromed brass	2.03
Gold finish Alum. / Silver finish Alum.	2.03

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces
  Long pieces: 40 / 45 mm.

Note: **2000/3** *lock has no upwards / downwards locking points.*

2010





- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate profile:* 20 x 10 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Golden Enamel / Black	2.03 2.11
Chrome / Matt chrome	2.03 2.11
Stainless Steel / Bronze	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Note: **2010/3** *lock has no upwards / downwards locking points.*

2075





- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate profile:* 20 x 7.5 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Golden Enamel / Black	2.03 2.11
Chrome / Matt chrome	2.03 2.11
Stainless Steel / Bronze	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 40 / 45 mm.
- ANTIPANIC version available.

Note: **2075/3** *lock has no upwards / downwards locking points.*

EZCURRA

2000B-Z



- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate ' Z ' profile:* 40 / 45 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Gold finish Alum. / Silver finish Alum.	2.03 2.11
Enamel on Steel / Matt chrome	2.03 2.15

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces
  Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Notes: **2000B-Z/3** *lock has no upwards / downwards locking points.*
Enamel on steel and matt chrome do not include isolating rubber profile.

2004B-Z





- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate ' Z ' profile:* 40 / 45 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Gold finish Alum. / Silver finish Alum.	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces
  Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Note: **2004B-Z/3** *lock has no upwards / downwards locking points*

2004B





- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate profile:* 25 x 6 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Brass / Chromed brass	2.03
Gold finish Alum. / Silver finish Alum.	2.03

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Note: **2004B/3** *lock has no upwards / downwards locking points*

2014





- ANTIBREAKAGE system
- Round steel bolts
- Reversible latch
- 2 turns
- *Front plate profile:* 20 x 10 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Golden enamel / Black	2.03
Chrome / Matt chrome	2.03
Bronze	2.03

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Note: **2014/3** *lock has no upwards / downwards locking points*

EZCURRA

700B



- ANTIBREAKAGE system
- Round steel bolt
- Reversible latch
- 2 turns
- *Front plate:* 25 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*
  - Brass / Chromed brass
  - Gold finish Alum / Silver finish Alum.
  - Golden enamel / Black
  - Chrome / Matt chrome
  - Stainless Steel / Bronze
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate
- Round edged plates available

701B



- ANTIBREAKAGE system
- Round steel bolt
- 2 turns
- *Front plate:* 25 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Front plate finishes:*
  - Brass / Chromed brass
  - Gold finish Alum / Silver finish Alum.
  - Golden enamel / Black
  - Chrome / Matt chrome
  - Bronze
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate
- Round edged plates available

703B



- ANTIBREAKAGE system
- 3 locking points through up and downwards threaded bars
- Round steel bolt
- Reversible latch
- 2 turns
- *Front plate:* 30 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*
  - Brass / Chromed brass
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate

EZCURRA

700A



- ANTIPANIC lock
- Round steel bolt
- Reversible latch
- 2 turns
- *Front plate:* 25 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Front plate finishes:*
  - Brass / Chromed brass
  - Gold finish Alum / Silver finish Alum.
  - Golden enamel / black
  - Chrome / Matt chrome
  - Stainless Steel / Bronze
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate
- Round edged plates available

720



- Reversible latch
- Steel bolt
- 2 turns
- Front plate: 23 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 35 / 40 / 45 / 50 / 60 / 70 mm.
- *Front plate finishes:*
  - Brass / Chromed brass
  - Golden enamel / Black
  - Chrome / Matt chrome
  - Bronze
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate
- Round edged plates available

EZCURRA

RF-2000B



- ANTIBREAKAGE system
- Round steel bolts
- Reversible steel latch
- 2 turns
- *Front plate profile:* 25 x 6 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Golden enamel / Black	2.03 2.11
Chrome / Matt chrome	2.03 2.11
Stainless Steel / Bronze	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 30 / 35 / 40 / 45 mm.
- ANTIPANIC version available

Note: **RF- 2000B/3** *lock has no upwards / downwards locking points*

RF-2010



- ANTIBREAKAGE system
- Round steel bolts
- Reversible steel latch
- 2 turns
- *Front plate profile:* 20 x 10 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Golden enamel / Black	2.03 2.11
Chrome / Matt chrome	2.03 2.11
Stainless Steel / Bronze	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Note: **RF- 2010/3** *lock has no upwards / downwards locking points*

RF-2075



- ANTIBREAKAGE system
- Round steel bolts
- Reversible steel latch
- 2 turns
- *Front plate profile:* 20 x 7.5 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*

	Height: (m.)
Golden enamel / Black	2.03 2.11
Chrome / Matt chrome	2.03 2.11
Stainless Steel / Bronze	2.03 2.11

- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- *Striking plates:* Short pieces Long pieces: 40 / 45 mm.
- ANTIPANIC version available

Note: **RF- 2075/3** *lock has no upwards / downwards locking points*

EZCURRA

RF-700B



- ANTIBREAKAGE system
- Round steel bolts
- Reversible steel latch
- 2 turns
- *Front plate:* 25 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Distances*: 85 / 70 mm.
- *Front plate finishes:*
  - Golden enamel / Black
  - Chrome / Matt chrome
  - Stainless Steel / Bronze
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate
- Round edged plates available

RF-700A



- ANTIPANIC lock
- Round steel bolts
- Reversible steel latch
- 2 turns
- *Front plate:* 25 x 3 mm.
- *Cylinders:* DS-15 DS-10
- *Backsets:* 50 / 60 mm.
- *Front plate finishes:*
  - Golden enamel / Black
  - Chrome / Matt chrome
  - Stainless Steel / Bronze
- *Escutcheons:* 410-P 420-P 424-P 425-P 430-P
- Short striking plate
- Round edged plates available

EZCURRA

DS-15



DS-15 Cylinder



DS-15 Switch cylinder



- High security double cylinder with european profile.
- Front drilling resistant by tempered steel bars.
- Anti - picklock profile.
- Five reversible chromed brass keys.
- Double fitting 6 pin cylinder offering excellent technical features.
- High keying possibilities.
- Wide range of sizes, finishes and models : knob cylinders, half-cylinders, switch cylinders, double clutch cylinders, etc.
- Computerized manufacturing process in highly technological machines.
- *Finishes*: Brass / Chrome; Matt chrome

Security cards

sizes

A B C	A B C	A B C
60 mm. (30-30)	65 mm. (30-35)	● 70 mm. (35-35)
70 mm. (30-40)	● 75 mm. (35-40)	● 80 mm. (40-40)
80 mm. (30-50)	● 90 mm. (40-50)	90 mm. (30-60)
● 100 mm. (50-50)	● 110 mm. (55-55)	● 110 mm. (50-60)
● 120 mm. (60-60)		

● *Available in double clutch version.*

EZCURRA

DS-10



DS-10 Cylinder



DS-10 Switch cylinder



Security cards

- High security double cylinder with european profile.
- Front drilling resistant by tempered steel bars.
- Anti - picklock profile.
- Five reversible nickelsilver keys.
- Double pin row featuring on both sides, plus an extra locking device placed at the side, achieving a sophisticated security system.
- High keying possibilities.
- Wide range of sizes, finishes and models: knob cylinders, half-cylinders, switch cylinders, double clutch cylinders, etc.
- *Finishes*: Brass / Chrome; Matt chrome

sizes

A B C	A B C	A B C
60 mm. (30-30)	65 mm. (30-35)	● 70 mm. (35-35)
70 mm. (30-40)	● 75 mm. (35-40)	● 80 mm. (40-40)
80 mm. (30-50)	● 90 mm. (40-50)	90 mm. (30-60)
● 100 mm. (50-50)	● 110 mm. (55-55)	● 110 mm. (50-60)
● 120 mm. (60-60)		

● *Available in double clutch version.*

EZCURRA

SEA 3 / SEA 23

SEA 3 / SEA 23 Cylinder



SEA 3 / SEA 23 Switch cylinder



- High security double cylinder with 22 mm swiss profile.
- Front drilling resistant by tempered steel bars.
- Five reversible nickelsilver keys.
- It combines a double row of suspended pins with an extra row at the flank, performing a perfect multilock system.
- High keying possibilities.
- Wide range of sizes, finishes and models : knob cylinders, half-cylinders, switch cylinders, double clutch cylinders, etc.
- *Finishes*: Brass / Chrome

Security cards

sizes

A	B	C	A	B	C
65 mm.	(32.5	-32.5)	75 mm.	(32.5	-42.5)
85 mm.	(42.5	-42.5)	85 mm.	(32.5	-52.5)

EZCURRA

Common features

- Useful protective escutcheons for our whole range of european & swiss cylinder mortise security locks.
- Specially designed to avoid grasping actions.
- *Available Finishes*:
  - Golden enamel
  - Chrome
  - Matt Chrome
  - Stainless Steel in 420-P & 425-P
  - Black / Bronze

410-P

- Including two pieces: *escutcheon* and *internal plate* with inside fixing system.



420-P

- Including three pieces: *escutcheon*, *internal plate* and *tempered steel cylinder's cap* with an edge that protects the cylinder from being extracted.



424-P

- Double security escutcheon.
- Including three pieces: *escutcheon*, *internal plate* and *tempered steel cylinder's cap* with an edge that protects the cylinder from being extracted.
- The *escutcheon* is fastened through the *internal plate* by a strong screw fixing system. The *cylinder's cap* is fixed by two screws through the lock.
- Available *steel plate* to be placed between the lock and the door's armouring sheet which provides highest protection of the lock and the cylinder, and avoids taking the cylinder's cap out.
- Available *decorative plate.*



425-P

- 420-P escutcheon plus decorative plate.



430-P

- Including three pieces: *tempered steel escutcheon*, *internal plate* and *brass cover.*
- Hidden cylinder.
- Available washers for exact assembly.
- *Decorative plate* on request.



EZCURRA

M-type
Lever protection box

V-type
Lever protection box

Boxes
for lever protection

- **M – type**

  It protects the central bolts from lever actions.

- **V – type**

  It protects the central bolts from lever actions.

  It is provided with a special device to fit the latch.

long angular Striking plate

- 45 mm.
  X 2,03 / 2,11 / 2,15 m.

Hinges

- U-shaped security hinges, available in enamel on steel and matt chrome with following sizes:

Width	Height
40 mm.	2.03 m.
45 mm.	2.03 / 2.11 / 2.15 m.

Profiles
for doors and frames

- Security door and frame profiles, available in following finishes and sizes:

Enamel on steel / Matt chrome
1 m. x 40 / 45 mm.

Gold finish Alum. / Silver finish Alum.
90 cm. / 1 m. x 40 / 45 mm.

Ezcurra-Esko, S.A.

P.O.Box 5
20540 Escoriaza. (Guipúzcoa) Spain

Tel.: +34 943 71 51 00
Fax: +34 943 71 41 00

e-mail: ezcurra@ezcurra.com • www.ezcurra.com