EZCURRA
Security
Innovation
Quality
EZCURRA
High Security Cylinder Locks

Finishes

golden enamel

matt chrome enamel

black enamel

bronze enamel

nickel enamel

silver aluminium

golden aluminium

stainless steel

chrome

brass

Made in Spain

COMPLETELY MADE IN SPAIN

Ezcurra is appointed as CE/UE
Authorised Exporter No. ES/20/0120/12

Index

Master keying systems ____ page 4

High security cylinders
- DS-15 ____ page 5
- DS-20 ____ page 5
- K-20 ____ page 6
- K-30 ____ page 6
- SEA-23 ____ page 7
- SEA-3 ____ page 7

High security locks
- 303 ____ page 8
- 307 ____ page 8
- 305 ____ page 8
- 3040 ____ page 9
- 3044 ____ page 9
- 3040-Z ____ page 10
- 3044-Z ____ page 10
- 700 ____ page 11
- 701 ____ page 11
- 703 ____ page 11
- 903/943 ____ page 12
- 907/947 ____ page 12
- 9040 ____ page 13
- 9044 ____ page 13

Escutcheons
- 410-P ____ page 14
- 420-P ____ page 14
- 424-P ____ page 14
- 425-P ____ page 14
- 430-P ____ page 14

Accessories ____ page 15

New

Every high security lock in this catalogue features an ANTIBREAKAGE SYSTEM, which effectively protects the central steel bolts from being forced backwards.

This system is PATENTED and CERTIFIED by an official aproved centre.

Master keying system

EZCURRA has developed a masterkeying system that provides Comfort, Performance and Security. For comfort, Ezcurra's master keying system affords the possibility to reduce the usual bunch of keys to only one, able to open the most commonly used locks and cylinders. High Performance and Security, due to the precision and excellent technical features of our cylinders, which allow all kind of keying systems, from the simple master key suite to the grand master key one.

In this way, house entrance doors, post boxes, elevators, garages, desk, and so on, all can be easily masterkeyed to user's convenience.

Nowadays housing, condominiums, offices, hospitals and companies of any size enjoy the quality and security of EZCURRA's master keying system.

Comunal Entrance Master keying

Group of Locks each one having its own individual key that gives access to its own door and all communal services i.e.: main entrance, garage, lift, terraces, storerooms, etc.



Simple Master keying

Group of Locks each one having its own individual keys, which opens only that door, and a Master key which opens all the locks. Suitable for offices, warehouses, etc.



Group Master keying

Several independent groups of Locks each one having its own Master key, and a Grand Master key, which opens all the doors in the locking plan. Suitable for hotels, administra-tive buildings, schools, companies, etc.



DS-15

DS-10

Common features

- High security double cylinder with european profile.
- **Anti - picklock** profile.
- Front **drilling** resistant.
- **High keying** possibilities.
- Wide range of sizes, finishes and models: knob cylinders, half-cylinders, switch cylinders, double clutch cylinders, etc.
- *Finishes*: Brass / Chrome; Matt chrome / Black
- **COMPLETELY MADE IN SPAIN**
- Cylinder complies with certification CE UNE-EN 1303:2006

Cylinder DS-15



Cylinder DS-10



Switch cylinder DS-15



Switch cylinder DS-10



- Double fitting 9 pins in two rows: 3 up + 6 down.
- Front drilling resistance by tempered steel bars.
- 5 Reversible dimple keys on chromed brass.

- Double fitting 10 pins in two rows (5 up + 5 down) + 1 steel ball on the side.
- Front drilling resistance by tempered steel bars in tube and drum.
- 5 Reversible dimple keys on nickel silver.

sizes

A B C	A B C	A B C	A B C	A B C
60 mm. (30-30)	● 75 mm. (35-40)	85 mm. (30-55)	90 mm. (30-60)	● 100 mm. (40-60)
65 mm. (30-35)	● 80 mm. (40-40)	● 85 mm. (35-50)	● 90 mm. (35-55)	● 110 mm. (55-55)
● 70 mm. (35-35)	80 mm. (30-50)	● 90 mm. (45-45)	● 95 mm. (40-55)	● 110 mm. (50-60)
70 mm. (30-40)	● 80 mm. (35-45)	● 90 mm. (40-50)	● 100 mm. (50-50)	● 120 mm. (60-60)
75 mm. (30-45)				

● *Available in double clutch version.*

K-20

K-30

Common features

- High security cylinder with **17 pins** (12 in two rows + 5 in an extra side row) acting to achieve a sophisticated security system which increases exponentially its **master keying** possibilities.
- **Anti-picklock** and **antibumping** european profile.
- **Front drilling resistance** by tempered steel ring in the drum and tempered steel bar in the tube.
- Wide range of sizes and versions: knob cylinders, double clutch cylinders, half cylinders, switch cylinders, etc.
- Finishes: Brass / Chromed brass / Matt chrome / Black
- **COMPLETELY MADE IN SPAIN**
- Cylinder complies with certification CE UNE-EN 1303:2006







- Triple fitting 17 brass pins in 2 rows of 6 pins + 1 extra row of 5 pins on the side.
- 5 Reversible dimple keys on chromed brass.

- Triple fitting 17 STAINLESS STEEL pins in 2 rows of 6 pins + 1 extra row of 5 STAINLESS STEEL pins on the side.
- 5 Reversible dimple keys on nickel silver.

sizes

A B C	A B C	A B C	A B C	A B C
60 mm. (30-30)	● 75 mm. (35-40)	85 mm. (30-55)	90 mm. (30-60)	● 100 mm. (40-60)
65 mm. (30-35)	● 80 mm. (40-40)	● 85 mm. (35-50)	● 90 mm. (35-55)	● 110 mm. (55-55)
● 70 mm. (35-35)	80 mm. (30-50)	● 90 mm. (45-45)	● 95 mm. (40-55)	● 110 mm. (50-60)
70 mm. (30-40)	● 80 mm. (35-45)	● 90 mm. (40-50)	● 100 mm. (50-50)	● 120 mm. (60-60)
75 mm. (30-45)				

● *Available in double clutch version.*

EZCURRA

SEA 3 / SEA 23

SEA 3 / SEA 23 Cylinder



SEA 3 / SEA 23 Switch cylinder



Security cards

- High security double cylinder with 22 mm. swiss profile or europrofile.
- Front drilling resistant by tempered steel bars.
- Five reversible nickelsilver keys.
- It combines a double row of suspended pins with an extra row at the flank, performing a perfect multilock system.
- High keying possibilities.
- Wide range of sizes, finishes and models: knob cylinders, half-cylinders, switch cylinders, etc.
- *Finishes*: SWISS PROFILE: Brass / Chrome
  EUROPROFILE: Chrome

swiss profile sizes

A B C
65 mm. (32,5-32,5)
75 mm. (32,5-42,5)
85 mm. (42,5-42,5)
85 mm. (32,5-52,5)
95 mm. (32,5-52,5)
95 mm. (42,5-62,5)
105 mm. (52,5-52,5)
105 mm. (32,5-72,5)
105 mm. (42,5-62,5)
115 mm. (32,5-82,5)
115 mm. (42,5-72,5)
115 mm. (52,5-62,5)
125 mm. (62,5-62,5)
125 mm. (32,5-92,5)
125 mm. (42,5-82,5)
125 mm. (52,5-72,5)

europrofile sizes

A B C
60 mm. (30-30)
65 mm. (30-35)
70 mm. (35-35)
70 mm. (30-40)
75 mm. (35-40)
75 mm. (30-45)
80 mm. (40-40)
80 mm. (30-50)
80 mm. (35-45)
85 mm. (30-55)
85 mm. (35-50)
85 mm. (40-45)
90 mm. (30-60)
90 mm. (40-50)
95 mm. (40-55)
100 mm. (50-50)
100 mm. (30-70)
100 mm. (40-60)
110 mm. (30-80)
110 mm. (40-70)
110 mm. (50-60)
120 mm. (60-60)
120 mm. (30-90)
120 mm. (40-80)
120 mm. (50-70)

EZCURRA

303



- ANTIBREAKAGE System
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points with transmission rods
- Closed case
- Front plate profile 30 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel / Bronze / Black enamel on steel
- Short striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

307



- ANTIBREAKAGE System
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Closed case
- Front plate profile 30 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel / Bronze / Black enamel on steel
- Short striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

305



- ANTIBREAKAGE System
- Round steel bolts Ø16 mm.
- 4 Turns
- Closed case
- Front plate profile 30 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome
  Nickel / Bronze
  Black enamel on steel
- Short striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

3040



- ANTIBREAKAGE System
- Central + 2 auxiliary locks
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed cases
- Front plate profile 25 x 8 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel
  Bronze / Black enamel on steel
  Golden / Silver finish on aluminium
  Stainless steel
- *Striking plate:* Short pieces.
  Long pieces: 40 / 45 mm.
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

Ref.: 3040/3 *without up & downwards locking points.*

3044



- ANTIBREAKAGE System
- Central + 4 auxiliary locks
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed cases
- Front plate profile 25 x 8 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel
  Bronze / Black enamel on steel
  Golden / Silver finish on aluminium
  Stainless steel
- *Striking plate:* Short pieces.
  Long pieces: 40 / 45 mm.
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

Ref.: 3044/3 *without up & downwards locking points.*

EZCURRA

3040-Z



- ANTIBREAKAGE System
- Central + 2 auxiliary locks
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed cases
- Front plate Z profile: 40 / 45 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Golden / Matt Chrome / Nickel Bronze / Black enamel on aluminium
  Golden / Matt Chrome / Nickel Bronze / Black enamel on steel
  Golden
  Silver finish aluminium
- Long angular striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

Ref.: 3040Z/3 *without up & downwards locking points.*
Steel models do not include isolating rubber profile.

3044-Z



- ANTIBREAKAGE System
- Central + 2 auxiliary locks
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed cases
- Front plate Z profile: 40 / 45 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 72 mm. / *Centres*: 85 mm.
- *Finishes:* Golden / Matt Chrome / Nickel Bronze / Black enamel on aluminium
  Golden / Matt Chrome / Nickel Bronze / Black enamel on steel
  Golden
  Silver finish aluminium
- Long angular striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

Ref.: 3044Z/3 *without up & down locking points.*
Steel models do not include isolating rubber profile.

EZCURRA

700



- Cylinder High Security Lock
- Rectangular steel bolt
- Reversible Latch
- 2 Turns
- Front plate profile 23 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 50 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
- Short striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

701



- Cylinder High Security Lock
- Rectangular steel bolt
- 2 Turns
- Front plate profile 23 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 50 mm.
- *Finishes:* Brass / Chromed brass
- Short striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

703



- Cylinder High Security Lock
- Rectangular steel bolt
- Reversible latch
- 2 Turns
- Up & down locking point with threaded bars
- Front plate profile 30 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 50 mm. / *Centres*: 85 mm.
- *Finishes:* Brass / Chromed brass
- Short striking plate
- *Security Escutcheon:* 410-P 420-P 424-P 425-P 430-P

EZCURRA

943



- Cylinder High Security Lock
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed case
- Front plate profile: 30 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 70 mm.
- *Centres*: 85 / 72 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel
  Bronze / Black enamel on steel
- Short striking plate
- *Escutcheon:* 410-P 420-P 424-P
  425-P 430-P

947



- Cylinder High Security Lock
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Closed case
- Front plate profile: 30 x 3 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 70 mm.
- *Centres*: 85 / 72 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel
  Bronze / Black enamel on steel
- Short striking plate
- *Escutcheon:* 410-P 420-P 424-P
  425-P 430-P

EZCURRA

9040



- Cylinder High Security Lock
- Central + 2 auxiliary locks
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed cases
- Front plate profile: 25 x 8 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 70 mm.
- *Centres*: 85 / 72 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel
  Bronze / Black enamel on steel
  Stainless steel
- *Striking plate:* Short pieces
  Long pieces: 40 / 45 mm.
- *Escutcheon:* 410-P 420-P 424-P 425-P 430-P

Ref.: 9040/3 *without up & downwards locking points.*

9044





- Cylinder High Security Lock
- Central + 4 auxiliary locks
- Round steel bolts Ø16 mm.
- Reversible latch
- 4 Turns
- Up & down locking points
- Closed cases
- Front plate profile: 25 x 8 mm.
- *Security Cylinder:* DS-15, DS-10, K-20, K-30, SEA
- *Backset:* 70 mm.
- *Centres*: 85 / 72 mm.
- *Finishes:* Brass / Chromed brass
  Golden / Matt Chrome / Nickel
  Bronze / Black enamel on steel
  Stainless steel
- *Striking plate:* Short pieces
  Long pieces: 40 / 45 mm.
- *Escutcheon:* 410-P 420-P 424-P 425-P 430-P

Ref.: 9044/3 *without up & downwards locking points.*

EZCURRA

Common features

- Useful protective escutcheons for our whole range of european & swiss cylinder mortise security locks.
- Specially designed to avoid grasping actions.
- *Available Finishes*:
  Golden / Matt Chrome
  Nickel / Bronze
  Black enamel
  Chrome
  Stainless steel in 420-P, 425-P & 430-P

410-P

- Including two pieces: *escutcheon* and *internal plate* with inside fixing system.



420-P

- Including three pieces: *escutcheon*, *internal plate* and *tempered steel cylinder's cap* with an edge that protects the cylinder from being extracted.



424-P

- Double security escutcheon.
- Including three pieces: *escutcheon*, *internal plate* and *tempered steel cylinder's cap* with an edge that protects the cylinder from being extracted.
- The *escutcheon* is fastened through the *internal plate* by a strong screw fixing system. The *cylinder's cap* is fixed by two screws through the lock.
- Available *steel plate* to be placed between the lock and the door's armouring sheet which provides highest protection of the lock and the cylinder, and avoids taking the cylinder's cap out.
- Available *decorative plate.*



425-P

- 420-P escutcheon plus decorative plate.



430-P

- Including three pieces: *tempered steel escutcheon*, *internal plate* and *brass cover.*
- Hidden cylinder.
- Available washers for exact assembly.
- *Decorative plate* on request.



EZCURRA

M-type
Lever protection box

V-type
Lever protection box

Boxes
for lever protection

M-type

It protects the central bolts from lever actions.

V-type

It protects the central bolts from lever actions.

It is provided with a special device to fit the latch.

long angular
Striking Plate

- 45 mm.
  X 2,03 / 2,11 / 2,15 m.

Guides and Anti-dust protectors

Hinge

- U+L shaped reversible SECURITY HINGE with 4 bearings, available in the following finishes and sizes:

  Golden / Matt Chrome / Nickel Bronze / Black enamel on steel

Width	Height
40 mm.	2.03 m.
45 mm.	2.03 / 2.11 m.

Profiles
for doors and frames

- Security crosspieces and angular profiles available in following finishes and sizes:

  Golden / Matt Chrome / Nickel Bronze / Black enamel on steel

  1 m. x 40 / 45 mm.

  Golden / Silver finish aluminium

  90 cm. / 1 m. x 40 / 45 mm.

Ezcurra-Esko, S.A.

Apartado (P.O.Box) 5
20540 Escoriaza. (Guipúzcoa) Spain

Tel.: +34 943 71 51 00
Fax: +34 943 71 41 00

e-mail: ezcurra@ezcurra.com • www.ezcurra.com